





Makina ve Yedek Parça San. ve Tic. Ltd. Şti.



www  
nbr  
com.tr



## NBR ALUMINIUM TUBES

Aluminium Tubes produce according to EN AW-1070A, EN AW -AL 97,7. Aluminium-seamless extruded tube DIN EN 755-1, Al 99,7 DIN 1725-1, 3.0275 DIN 1725-1.

Also, NBR produces tube according to customer specifications.


Internal pressure of the tube was arranged min. 12 bar and pressure drop max. 2 bar.


Chemical composition according to DIN EN 573-3

**NBR production process with Research and developments activities made products are more competitive as customer satisfaction in the market**



[www.nbr.com.tr](http://www.nbr.com.tr)






## Range of NBR products

Round tubes are produced as customer request from 2 mm up to 65 mm, minimum wall thickness 0,3 mm. can be supplies in coils or cutted tubes and bars of different lengths

We can produce bended, length cutted and formed different shapes as customer request.





### Main Customers

BOSCH & SIEMENS  
PROFILO  
ARÇELİK  
INDESIT COMPANY  
VESTEL

ELECTROLUX  
KLIMASAN  
UĞUR SOĞUTUCU  
LIEBHERR  
ARCTIC

DEMİRDÖKÜM  
GORENJE  
WHIRLPOOL  
CANDY  
FAGOR



Barakfahik Sanayi Bölgesi Ankara Yolu 17.Km PK.73 16450 Kestel - Bursa / TÜRKİYE

Tel.: +90.224 384 10 70 (pbx) Fax: +90.224 384 10 75

www.nbr.com.tr • info@nbr.com.tr